

Initial Report

Premises/Facility under investigation (name and address)

Today's Nails
5762 Highway 7 East
Markham, Ontario L3P 1A8

Type of Premises/Facility

Personal Service Setting

Date Board of Health became aware of IPAC lapse (yyyy/mm/dd)	Date of Initial Report posting (yyyy/mm/dd)
2024/01/11	2024/01/25

Date of Initial Report update(s) (if applicable) (yyyy/mm/dd)	How the IPAC lapse was identified
	Complaint

Summary Description of the IPAC Lapse

- Cleaning and disinfection of reusable equipment was not conducted in accordance with “Public Health Ontario: Guide to Infection Prevention and Control in Personal Service Settings, 3rd Edition, July 2019”.
- Re-use of single-use equipment.
- Disinfectant used for reprocessing of reusable equipment was used past its expiry date and not in accordance with the manufacturer’s instructions for use.
- Disinfectant used for reprocessing of reusable equipment was not accompanied by a Health Canada Drug Identification Number, Natural Product Number or Class 2 Device License.

IPAC Lapse Investigation	Yes	No	N/A	Please provide further details/steps
Did the IPAC lapse involve a member of a regulatory college?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
If yes, was the issue referred to the regulatory college?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Were any corrective measures recommended and/or implemented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Please provide further details/steps

Corrective measures for Premises/Facility:

- Clean and disinfect all equipment/devices according to “Public Health Ontario: Guide to Infection Prevention and Control in Personal Service Settings, 3rd Edition, July 2019”.
- Discard single-use equipment immediately after use.
- Select and use disinfectants for reprocessing of reusable equipment/devices that have expiry dates, a Drug Identification Number, Natural Product Number, and/or Class 2 Device License with Health Canada (with exception of chlorine bleach).
- Use disinfectants according to manufacturer’s instructions for use.

Date any order(s) or directive(s) were issued to the owner/operator (if applicable) (yyyy/mm/dd)
2024/01/12

Initial Report Comments:

Written order was issued on January 12, 2024, ordering operator to correct conditions related to manicure and pedicure services, in follow-up to directions provided to operator on January 10, 2024. The operator



Infection Prevention and Control Lapse Report

demonstrated the corrective measures on January 15, 2024, and was permitted to continue manicure and pedicure services.

Any additional Comments: (Please do not include any personal information or personal health information)

If you have any further questions, please contact:

Health Connection

Telephone Number

1-800-361-5653

Email Address

Health.inspectors@york.ca

Final Report

Date of Final Report posting (yyyy/mm/dd)

2024/01/25

Date any order(s) or directive(s) were issued to the owner/operator (if applicable) (yyyy/mm/dd)

Brief description of corrective measures taken

Corrective measures were confirmed to have been completed during re-inspection on January 15, 2024.

Date of all corrective measures were confirmed to have been completed (yyyy/mm/dd)

2024/01/15

Final Report Comments and Contact Information

Any Additional Comments: (Please do not include any personal information or personal health information)

If you have any further questions, please contact:

Health Connection

Telephone Number

1-800-361-5653

Email Address

Health.inspectors@york.ca