

Initial Report

Premises/Facility under investigation (name and address)

Jenny Caratin Tattooing Services
3- 304 Millard Avenue
Newmarket, Ontario L3Y 1Z2

Type of Premises/Facility

PSS

Date Board of Health became aware of IPAC lapse (yyyy/mm/dd)	Date of Initial Report posting (yyyy/mm/dd)
---	--

2024/06/19	2024/06/28
------------	------------

Date of Initial Report update(s) (if applicable) (yyyy/mm/dd)	How the IPAC lapse was identified
--	--

Complaint

Summary Description of the IPAC Lapse

- Cleaning and disinfection of reusable equipment/tools was not conducted in accordance with “Public Health Ontario: Guide to Infection Prevention and Control in Personal Service Settings, 3rd Edition, July 2019”.
- Disinfectant was not available for the cleaning and disinfection of environmental surfaces.
- Hand washing sink was not dedicated for hand hygiene proposes.
- Reprocessing sink was not dedicated for reprocessing of equipment/devices.
- Alcohol-based hand rub was expired.

IPAC Lapse Investigation	Yes	No	N/A	Please provide further details/steps
---------------------------------	------------	-----------	------------	---

Did the IPAC lapse involve a member of a regulatory college?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
--	--------------------------	-------------------------------------	--------------------------	--

If yes, was the issue referred to the regulatory college?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
---	--------------------------	--------------------------	-------------------------------------	--

Were any corrective measures recommended and/or implemented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
--	-------------------------------------	--------------------------	--------------------------	--

Please provide further details/steps

Corrective measures for Premises/Facility:

- Reprocess (clean and disinfect or sterilize) re-usable equipment/tools after each use in accordance with the “Public Health Ontario: Guide to Infection Prevention and Control in Personal Service Settings, 3rd Edition, July 2019.”
- Use disinfectants that have an expiry date, a Drug Identification Number (DIN), Natural Product Number (NPN), and/or Medical Device License (MDAL) and used with Health Canada (with exception of Chlorine Bleach).
- Use disinfectants, for the reprocessing of reusable equipment/devices, that are within their expiry date.
- Use alcohol-based hand sanitizer within its expiry date.
- Dedicate and use at least one sink, which is only for hand washing.
- Dedicate and use at least one sink for the cleaning and disinfecting of reusable equipment/items.

Infection Prevention and Control Lapse Report**Date any order(s) or directive(s) were issued to the owner/operator (if applicable) (yyyy/mm/dd)**

Verbal directional order and verbal closure order issued 2024/06/19. Written directional and written closure order delivered on 2024/06/21.

Initial Report Comments:

Verbal order was issued on June 19, 2024, ordering operator to correct conditions related to tattoo services, followed up with a written directional and closure order on June 21, 2024. Reinspection was conducted on June 21, 2024, and all corrective measures were followed.

Any additional Comments: (Please do not include any personal information or personal health information)

If you have any further questions, please contact
Health Connection

Telephone Number
1-800-361-5653

Email Address
Health.inspectors@york.ca

Final Report**Date of Final Report posting (yyyy/mm/dd)**

2024/06/25

Date any order(s) or directive(s) were issued to the owner/operator (if applicable) (yyyy/mm/dd)

Verbal directional order and verbal closure order were issued on 2024/06/19. Written directional and written closure order were delivered 2024/06/21.

Brief description of corrective measures taken:

Operator ordered to close. Corrective measures were implemented, and education provided 2024/06/19

Date of all corrective measures were confirmed to have been completed (yyyy/mm/dd)

Reinspection conducted; all corrective measures were confirmed to have been completed 2024/06/21.

Final Report Comments and Contact Information**Any Additional Comments: (Please do not include any personal information or personal health information)**

If you have any further questions, please contact
Health Connection

Telephone Number
1-800-361-5653

Email Address
Health.inspectors@york.ca